



Cynix GenBook Pro 14

LAPTOP DATASHEET

- 2024





About Product

Welcome to Cynix, where innovation meets performance to bring you the exceptional Cynix GenBook Pro 14.

Elevate your business operations with the CYNIX GenBook Pro 14, a premium business-class laptop meticulously engineered for efficiency and performance. Featuring the latest Intel® Core™ processor and up to 64GB of RAM, it ensures exceptional speed and responsiveness for demanding applications and multitasking. The 14-inch Full HD IPS display delivers vibrant visuals with sharpness and color accuracy, enhancing every task from detailed spreadsheets to presentations. Advanced security features, including a fingerprint reader and TPM 2.0 encryption, protect your sensitive data, providing peace of mind in any environment. Combining power, precision, and a sleek, professional aesthetic, the CYNIX GenBook Pro 14 is tailored to meet the dynamic needs of today's corporate environment. Stay ahead of the curve with a device that exemplifies sophistication and performance.

Discover the power and performance packed into the Cynix Gen-Book Pro 14. Designed to handle demanding tasks with ease, this laptop features integrated Intel Iris Xe graphics, delivering stunning visuals perfect for both creative projects and entertainment. Experience crisp audio with high-fidelity speakers and seamless connectivity with the latest Wi-Fi 6 technology. The Cynix GenBook Pro 14 also includes a versatile array of ports, including USB-C and HDMI, ensuring you can connect all your essential devices. With a high-definition camera for clear video calls and a long-lasting battery to keep you going all day.

Step up to the next level of computing with the Cynix GenBook Pro 14. The stunning 14-inch FHD display ensures vivid visuals with incredible detail, perfect for gaming and multimedia. Integrated Intel Iris X graphics enhance your experience with smooth, lifelike images. Stay secure with the advanced fingerprint sensor, providing quick and safe access to your device. Despite its robust features, the Cynix GenBook Pro 14 remains lightweight and portable, making it an ideal choice for professionals.





Technical Features





Powering Your Business, Elevating Your Success

Elevate your business operations with the CYNIX GenBook Pro 14, our premium business class laptop meticulously engineered for efficiency and performance. Boasting the latest technology, enhanced security protocols, and a sleek, professional aesthetic, this laptop is tailored for the dynamic needs of today's corporate environment. Stay ahead of the curve with a device that combines power, precision, and sophistication



Powerful Performance

Equipped with the latest Intel® Core™ processor and up to 64GB of RAM, the CYNIX GenBook Pro 14 delivers exceptional speed and responsiveness. Seamlessly handle demanding applications and multitask with ease, ensuring you stay productive throughout the day.



Advanced Security

Protect your sensitive data with advanced security features, including a fingerprint reader and TPM 2.0 encryption. The CYNIX GenBook Pro 14 ensures your information remains secure, giving you peace of mind in any environment.



Stunning Display

Experience vibrant visuals on the 14-inch Full HD IPS display. Whether you're working on detailed spreadsheets or delivering a presentation, the crisp, clear screen enhances every task with sharpness and color accuracy.



Fingerprint Sensor

Unlock your Cynix Genbook Pro 14 effortlessly with the advanced fingerprint sensor. Enjoy seamless security and convenience with a simple touch, ensure that your data remains safe while providing instant access to your device.

Technical Features



8

Long-Lasting Battery Life

Stay productive on the go with 55wh Long life battery life. The CYNIX GenBook Pro 14 is designed to keep up with your busy schedule, allowing you to work uninterrupted from morning to night.



Lightweight and Durable Design

Weighing just 1.48 kg and constructed from premium materials, the CYNIX GenBook Pro 14 combines portability with durability. Its sleek, professional design makes it the perfect companion for business travel.



Enhanced Connectivity

Stay connected with a range of ports, including USB-C, HDMI, and GEb NIC. The CYNIX GenBook Pro 14 ensures you can easily connect to peripherals, external displays, and fast data transfer solutions.



Technical **Features** FHD Web Camera Windows 11 Large FHD Screen Smoothy & Premium Backlit Keyboard Sleek & Slim Body Power/Charging Connector **HDMI Port** Multitouch **Privacy Shutter** Soft Touchpad 2*USB C Port USB 3.2 Gen 1 Turn Easily with your Suitable Angle **Dual Stereo** Speackers **Protactive Fingerprint** Sensor Ethernet Port

Ultra-Thin

Design

USB 3.0 Type A

Micro SD Card Slot

Headphone/Microphone Jack

Technical Specification



Available Operating Systems Windows 11 Professional Windows 11 Home Windows 10 Home Linux FreeDOS Processor family 12th Generation Intel® Core™ i3, i5, i7 processor 13th Generation Intel® Core™ i3, i5, i7 processor Intel® Core™ i3-1215U (1.2 GHz base frequency, up to 4.4 GHz with Intel® Turbo Boost Technology, 10 MB L3 cache, 6 cores, 8 threads) Intel® Core™ i5-1235U (1.3 GHz base frequency, up to 4.4 GHz with Intel® Turbo Boost Technology, 12 MB L3 cache, 10 cores, 12 threads) Intel® Core™ i7-1255U (1.7 GHz base frequency, up to 4.7 GHz with Intel® Turbo Boost Technology, 12 MB L3 cache, 10 cores, 12 threads) Intel® Core™ i3-1315U (0.9 GHz E-core base frequency, up to 4.5 GHz P-core Max Turbo frequency, up to 3.3 GHz E-core Max Turbo frequency, up to 4.5 GHz P-core Max Turbo frequency, up to 3.4 GHz E-core Max Turbo frequency, up to 4.5 GHz P-core base frequency, up to 3.4 GHz E-core Max Turbo frequency, up to 4.6 GHz P-core Max Turbo frequency, up to 3.7 GHz E-core Max Turbo frequency, up to 4.6 GHz P-core Max Turbo frequency, up to 3.7 GHz E-core Max Turbo frequency, up to 5.0 GHz P-core Max Turbo frequency, up to 3.7 GHz E-core Max Turbo frequency, up to 5.0 GHz P-core Max Turbo frequency, up to 3.7 GHz E-core Max Turbo frequency, up to 5.0 GHz P-core Max Turbo frequency, up to 3.7 GHz E-core Max Turbo frequency, up to 5.0 GHz P-core Max Turbo frequency, up	Feature	Technical Specification
Windows 11 Home Windows 10 Home Linux FreeDOS Processor family 12th Generation Intel® Core™ i3, i5, i7 processor 13th Generation Intel® Core™ i3, i5, i7 processor Intel® Core™ i3-1215U (1.2 GHz base frequency, up to 4.4 GHz with Intel® Turbo Boost Technology, 10 MB L3 cache, 6 cores,8 threads) Intel® Core™ i5-1235U (1.3 GHz base frequency, up to 4.4 GHz with Intel® Turbo Boost Technology, 12 MB L3 cache, 10 cores, 12 threads) Intel® Core™ i7-1255U (1.7 GHz base frequency, up to 4.7 GHz with Intel® Turbo Boost Technology, 12 MB L3 cache, 10 cores, 12 threads) Intel® Core™ i3-1315U (0.9 GHz E-core base frequency, up to 4.5 GHz P-core base frequency, up to 3.3 GHz E-core Max Turbo frequency, up to 4.5 GHz P-core Max Turbo frequency, up to 3.4 GHz E-core Max Turbo frequency, up to 4.5 GHz P-core base frequency, up to 3.4 GHz E-core Max Turbo frequency, up to 4.6 GHz P-core Max Turbo frequency, up to 3.4 GHz E-core Max Turbo frequency, up to 4.6 GHz P-core Max Turbo frequency, 12 MB L3 cache, 2 P-cores and 8 E-cores,12 threads) Intel® Core™ i7-1355U (1.2 GHz E-core base frequency, up to 5.0 GHz P-core base frequency, up to 3.7 GHz E-core Max Turbo frequency, up to 5.0 GHz P-core Max Turbo frequency, 12 MB L3 cache, 2 P-cores and 8 E-cores,12 threads) Maximum memory 64 GB DR4-2666MHz / 3200 MHz Small Outline Dual In-Line Memory (SODIMM); (Transfer rates up to 2666/3200 MT/s.); Memory slots 2 SODIMM - Small Outline Dual In-Line Memory Module - SODIMM. Internal storage up to 4 TB PCle® NVMe™ M.2 SSD Display size (diagonal, metric) Display 35.6 cm (14") diagonal, FHD (1920 x 1080), IPS Screen Available Graphics Audio Dual stereo speakers, dual array microphones Ports and connectors 1 stereo headphone/microphone combo jack 1 RJ-45 1 Micro SD card Slot 1 USB Type-C—Only Data	Available Operating	Windows 11 Professional
Windows 10 Home Linux FreeDOS Processor family 12th Generation Intel® Core™ i3, i5, i7 processor 13th Generation Intel® Core™ i3, i5, i7 processor Intel® Core™ i3-1215U (1.2 GHz base frequency, up to 4.4 GHz with Intel® Turbo Boost Technology, 10 MB L3 cache, 6 cores,8 threads) Intel® Core™ i5-1235U (1.3 GHz base frequency, up to 4.4 GHz with Intel® Turbo Boost Technology, 12 MB L3 cache, 10 cores, 12 threads) Intel® Core™ i7-1255U (1.7 GHz base frequency, up to 4.7 GHz with Intel® Turbo Boost Technology, 12 MB L3 cache, 10 cores, 12 threads) Intel® Core™ i3-1315U (0.9 GHz E-core base frequency, up to 4.5 GHz P-core base frequency, up to 3.3 GHz E-core Max Turbo frequency, up to 4.5 GHz P-core base frequency, up to 4.5 GHz P-core Max Turbo frequency, up to 3.4 GHz E-core base frequency, up to 4.6 GHz P-core Max Turbo frequency, up to 3.7 GHz E-core base frequency, up to 4.6 GHz P-core Max Turbo frequency, up to 3.7 GHz E-core Max Turbo frequency, up to 5.0 GHz P-core Max Turbo frequency, up to 3.7 GHz E-core Max Turbo frequency, up to 5.0 GHz P-core Max Turbo frequency, up to 3.7 GHz E-core Max Turbo frequency, up to 5.0 GHz P-core Max Turbo frequency, up to 3.7 GHz E-core Max Turbo frequency, up to 5.0 GHz P-core Max Turbo frequency, up to 3.7 GHz E-core Max Turbo frequency, up to 5.0 GHz P-core Max Turbo frequency, up to 3.7 GHz E-core Max Turbo frequency, up to 5.0 GHz P-core Max Turbo frequency, up to 3.7 GHz E-core Max Turbo frequency, up to 5.0 GHz P-core Max Turbo frequency, up to 5.0 GHz P-core Max Turbo frequency, up to 3.7 GHz E-core Max Turbo frequency, up to 5.0 GHz P-core Max Turbo frequency, up to 3.7 GHz E-core Max Turbo frequency, up to 5.0 GHz P-core Max Turbo frequency, up to 3.7 GHz E-core Max Turbo frequency, up to 5.0 GHz P-core Max Turbo frequency, up to 4.6 GHz P-core Max Turbo frequency, up to 5.0 GHz P-core Max Turbo frequency, up t		Windows 10 Professional
Linux FreeDOS Processor family 12th Generation Intel® Core™ i3, i5, i7 processor 13th Generation Intel® Core™ i3, i5, i7 processor Available Processors Intel® Core™ i3-1215U (1.2 GHz base frequency, up to 4.4 GHz with Intel® Turbo Boost Technology, 10 MB L3 cache, 6 cores,8 threads) Intel® Core™ i5-1235U (1.3 GHz base frequency, up to 4.4 GHz with Intel® Turbo Boost Technology, 12 MB L3 cache, 10 cores, 12 threads) Intel® Core™ i7-1255U (1.7 GHz base frequency, up to 4.7 GHz with Intel® Turbo Boost Technology, 12 MB L3 cache, 10 cores, 12 threads) Intel® Core™ i3-1315U (0.9 GHz E-core base frequency, up to 4.5 GHz P-core base frequency, up to 3.3 GHz E-core Max Turbo frequency, up to 4.5 GHz P-core Max Turbo frequency, up to 3.4 GHz E-core Max Turbo frequency, up to 4.6 GHz P-core Max Turbo frequency, up to 3.4 GHz E-core Max Turbo frequency, up to 4.6 GHz P-core Max Turbo frequency, up to 3.4 GHz E-core Max Turbo frequency, up to 4.6 GHz P-core Max Turbo frequency, up to 3.7 GHz E-core Max Turbo frequency, up to 5.0 GHz P-core Max Turbo frequency, up to 3.7 GHz E-core Max Turbo frequency, up to 5.0 GHz P-core Max Turbo frequency, up to 3.7 GHz E-core Max Turbo frequency, up to 5.0 GHz P-core Max Turbo frequency, up to 3.7 GHz E-core Max Turbo frequency, up to 5.0 GHz P-core Max Turbo frequency, up to 5		Windows 11 Home
Processor family 12th Generation Intel® Core™ i3, i5, i7 processor 13th Generation Intel® Core™ i3, i5, i7 processor 13th Generation Intel® Core™ i3, i5, i7 processor Intel® Core™ i3-1215U (1.2 GHz base frequency, up to 4.4 GHz with Intel® Turbo Boost Technology, 10 MB L3 cache, 6 cores,8 threads) Intel® Core™ i5-1235U (1.3 GHz base frequency, up to 4.4 GHz with Intel® Turbo Boost Technology, 12 MB L3 cache, 10 cores, 12 threads) Intel® Core™ i7-1255U (1.7 GHz base frequency, up to 4.7 GHz with Intel® Turbo Boost Technology, 12 MB L3 cache, 10 cores, 12 threads) Intel® Core™ i3-1315U (0.9 GHz E-core base frequency, up to 4.5 GHz P-core base frequency, up to 3.3 GHz E-core Max Turbo frequency, up to 4.5 GHz P-core Max Turbo frequency, up to 3.4 GHz E-core Max Turbo frequency, up to 4.6 GHz P-core Max Turbo frequency, up to 3.4 GHz E-core base frequency, up to 4.6 GHz P-core Max Turbo frequency, up to 3.7 GHz E-core base frequency, up to 5.0 GHz P-core base frequency, up to 3.7 GHz E-core base frequency, up to 5.0 GHz P-core base frequency, up to 3.7 GHz E-core base frequency, up to 5.0 GHz P-core base frequency, up to 3.7 GHz E-core base frequency, up to 5.0 GHz P-core base frequency, up to 3.7 GHz E-core base frequency, up to 5.0 GHz P-core base frequency, up to 3.7 GHz E-core base frequency, up to 5.0 GHz P-core base frequency, up to 3.7 GHz E-core base frequency, up to 5.0 GHz P-core base frequency, up to 3.7 GHz E-core base frequency, up to 5.0 GHz P-core base frequency, up to 3.7 GHz E-core base frequency, up to 5.0 GHz P-core ba		Windows 10 Home
Processor family 12th Generation Intel® Core™ i3, i5, i7 processor 13th Generation Intel® Core™ i3, i5, i7 processor Intel® Core™ i3-1215U (1.2 GHz base frequency, up to 4.4 GHz with Intel® Turbo Boost Technology, 10 MB L3 cache, 6 cores,8 threads) Intel® Core™ i5-1235U (1.3 GHz base frequency, up to 4.4 GHz with Intel® Turbo Boost Technology, 12 MB L3 cache, 10 cores, 12 threads) Intel® Core™ i7-1255U (1.7 GHz base frequency, up to 4.7 GHz with Intel® Turbo Boost Technology, 12 MB L3 cache, 10 cores, 12 threads) Intel® Core™ i3-1315U (0.9 GHz E-core base frequency, up to 4.5 GHz P-core base frequency, up to 3.3 GHz E-core Max Turbo frequency, up to 4.5 GHz P-core Max Turbo frequency, up to 3.4 GHz E-core Max Turbo frequency, up to 4.6 GHz P-core Max Turbo frequency, up to 3.4 GHz E-core Max Turbo frequency, up to 4.6 GHz P-core Max Turbo frequency, up to 3.7 GHz E-core base frequency, up to 4.6 GHz P-core Max Turbo frequency, up to 3.7 GHz E-core Max Turbo frequency, up to 5.0 GHz P-core Max Turbo frequency, up to 3.7 GHz E-core Max Turbo frequency, up to 5.0 GHz P-core Max Turbo frequency, up to 5.		Linux
Available Processors Intel® Core™ i3-1215U (1.2 GHz base frequency, up to 4.4 GHz with Intel® Turbo Boost Technology, 10 MB L3 cache, 6 cores,8 threads) Intel® Core™ i5-1235U (1.3 GHz base frequency, up to 4.4 GHz with Intel® Turbo Boost Technology, 12 MB L3 cache, 10 cores, 12 threads) Intel® Core™ i7-1255U (1.7 GHz base frequency, up to 4.7 GHz with Intel® Turbo Boost Technology, 12 MB L3 cache, 10 cores, 12 threads) Intel® Core™ i7-1255U (1.7 GHz base frequency, up to 4.7 GHz with Intel® Turbo Boost Technology, 12 MB L3 cache, 10 cores, 12 threads) Intel® Core™ i3-1315U (0.9 GHz E-core base frequency,1.2 GHz P-core base frequency, up to 3.3 GHz E-core Max Turbo frequency, up to 4.5 GHz P-core Max Turbo frequency, up to 3.4 GHz E-core Max Turbo frequency,1.3 GHz P-core base frequency, up to 3.4 GHz E-core Max Turbo frequency, up to 4.6 GHz P-core Max Turbo frequency, up to 3.7 GHz E-core Max Turbo frequency,1.7 GHz P-core base frequency, up to 3.7 GHz E-core Max Turbo frequency, up to 5.0 GHz P-core Max Turbo frequency, up to 3.7 GHz E-core Max Turbo frequency, up to 5.0 GHz P-core Max Turbo frequency, up to 3.7 GHz E-core Max Turbo frequency, up to 5.0 GHz P-core Max Turbo frequ		FreeDOS
Intel® Core™ i3-1215U (1.2 GHz base frequency, up to 4.4 GHz with Intel® Turbo Boost Technology, 10 MB L3 cache, 6 cores,8 threads) Intel® Core™ i5-1235U (1.3 GHz base frequency, up to 4.4 GHz with Intel® Turbo Boost Technology, 12 MB L3 cache, 10 cores, 12 threads) Intel® Core™ i7-1255U (1.7 GHz base frequency, up to 4.7 GHz with Intel® Turbo Boost Technology, 12 MB L3 cache, 10 cores, 12 threads) Intel® Core™ i7-1255U (1.7 GHz base frequency, up to 4.7 GHz with Intel® Turbo Boost Technology, 12 MB L3 cache, 10 cores, 12 threads) Intel® Core™ i3-1315U (0.9 GHz E-core base frequency,1.2 GHz P-core base frequency, up to 3.3 GHz E-core Max Turbo frequency, up to 4.5 GHz P-core Max Turbo frequency,10 MB L3 cache, 2 P-cores and 4 E-cores, 8 threads) Intel® Core™ i5-1335U (0.9 GHz E-core base frequency,1.3 GHz P-core base frequency, up to 3.4 GHz E-core Max Turbo frequency, up to 4.6 GHz P-core Max Turbo frequency,12 MB L3 cache, 2 P-cores and 8 E-cores,12 threads) Intel® Core™ i7-1355U (1.2 GHz E-core base frequency, up to 5.0 GHz P-core Max Turbo frequency,12 MB L3 cache, 2 P-cores and 8 E-cores,12 threads) Intel® Core™ i7-1355U (1.2 GHz E-core base frequency, up to 5.0 GHz P-core Max Turbo frequency,12 MB L3 cache, 2 P-cores and 8 E-cores,12 threads) Maximum memory	Processor family	■ : : : : : : : : : : : : : : : : : : :
Turbo Boost Technology, 10 MB L3 cache, 6 cores,8 threads) Intel® Core™ i5-1235U (1.3 GHz base frequency, up to 4.4 GHz with Intel® Turbo Boost Technology, 12 MB L3 cache, 10 cores, 12 threads) Intel® Core™ i7-1255U (1.7 GHz base frequency, up to 4.7 GHz with Intel® Turbo Boost Technology, 12 MB L3 cache, 10 cores, 12 threads) Intel® Core™ i3-1315U (0.9 GHz E-core base frequency,1.2 GHz P-core base frequency, up to 3.3 GHz E-core Max Turbo frequency, up to 4.5 GHz P-core Max Turbo frequency,10 MB L3 cache, 2 P-cores and 4 E-cores, 8 threads) Intel® Core™ i5-1335U (0.9 GHz E-core base frequency,1.3 GHz P-core base frequency, up to 3.4 GHz E-core Max Turbo frequency, up to 4.6 GHz P-core Max Turbo frequency,12 MB L3 cache, 2 P-cores and 8 E-cores,12 threads) Intel® Core™ i7-1355U (1.2 GHz E-core base frequency,1.7 GHz P-core base frequency, up to 3.7 GHz E-core Max Turbo frequency, up to 5.0 GHz P-core Max Turbo frequency,12 MB L3 cache, 2 P-cores and 8 E-cores,12 threads Maximum memory 64 GB DDR4-2666MHz / 3200 MHz Small Outline Dual In-Line Memory (SODIMM); (Transfer rates up to 2666/3200 MT/s.); Memory slots 2 SODIMM - Small Outline Dual In-Line Memory Module - SODIMM. Internal storage Up to 4 TB PCle® NVMe™ M.2 SSD Display 35.6 cm (14") metric) Display 35.6 cm (14") diagonal, FHD (1920 x 1080), IPS Screen Available Graphics Integrated: Intel® UHD Graphics; Intel® Iris® X® Graphics Dual stereo speakers, dual array microphones 1 stereo headphone/microphone combo jack 1 RJ-45 1 Micro SD card Slot 1 USB Type-C— Only Data	Available Processors	
Turbo Boost Technology, 12 MB L3 cache, 10 cores, 12 threads) Intel® Core™ i7-1255U (1.7 GHz base frequency, up to 4.7 GHz with Intel® Turbo Boost Technology, 12 MB L3 cache, 10 cores, 12 threads) Intel® Core™ i3-1315U (0.9 GHz E-core base frequency,1.2 GHz P-core base frequency, up to 3.3 GHz E-core Max Turbo frequency, up to 4.5 GHz P-core Max Turbo frequency,10 MB L3 cache, 2 P-cores and 4 E-cores, 8 threads) Intel® Core™ i5-1335U (0.9 GHz E-core base frequency,1.3 GHz P-core base frequency, up to 3.4 GHz E-core Max Turbo frequency, up to 4.6 GHz P-core Max Turbo frequency,12 MB L3 cache, 2 P-cores and 8 E-cores,12 threads) Intel® Core™ i7-1355U (1.2 GHz E-core base frequency,1.7 GHz P-core base frequency, up to 3.7 GHz E-core Max Turbo frequency, up to 5.0 GHz P-core Max Turbo frequency,12 MB L3 cache, 2 P-cores and 8 E-cores,12 threads Maximum memory 64 GB DDR4-2666MHz / 3200 MHz Small Outline Dual In-Line Memory (SODIMM); (Transfer rates up to 2666/3200 MT/s.); Memory slots 2 SODIMM - Small Outline Dual In-Line Memory Module - SODIMM. Internal storage up to 4 TB PCle® NVMe™ M.2 SSD Display size (diagonal, metric) Display 35.6 cm (14") diagonal, FHD (1920 x 1080), IPS Screen Available Graphics Integrated: Intel® UHD Graphics; Intel® Iris® X® Graphics Audio Dual stereo speakers, dual array microphones Ports and connectors 1 stereo headphone/microphone combo jack 1 RJ-45 1 Micro SD card Slot 1 USB Type-C- Only Data		Fig. 1985 AND ADMINISTRATION OF THE PROPERTY O
Intel® Core™ i7-1255U (1.7 GHz base frequency, up to 4.7 GHz with Intel® Turbo Boost Technology, 12 MB L3 cache, 10 cores, 12 threads) Intel® Core™ i3-1315U (0.9 GHz E-core base frequency, 1.2 GHz P-core base frequency, up to 3.3 GHz E-core Max Turbo frequency, up to 4.5 GHz P-core Max Turbo frequency, 10 MB L3 cache, 2 P-cores and 4 E-cores, 8 threads) Intel® Core™ i5-1335U (0.9 GHz E-core base frequency, 1.3 GHz P-core base frequency, up to 3.4 GHz E-core Max Turbo frequency, up to 4.6 GHz P-core Max Turbo frequency, 12 MB L3 cache, 2 P-cores and 8 E-cores,12 threads) Intel® Core™ i7-1355U (1.2 GHz E-core base frequency, 1.7 GHz P-core base frequency, up to 3.7 GHz E-core Max Turbo frequency, up to 5.0 GHz P-core Max Turbo frequency, 12 MB L3 cache, 2 P-cores and 8 E-cores,12 threads Maximum memory 64 GB DDR4-2666MHz / 3200 MHz Small Outline Dual In-Line Memory (SODIMM); (Transfer rates up to 2666/3200 MT/s.); Memory slots 2 SODIMM - Small Outline Dual In-Line Memory Module - SODIMM. Internal storage Display size (diagonal, metric) Display 35.6 cm (14") metric) Display 35.6 cm (14") diagonal, FHD (1920 x 1080), IPS Screen Available Graphics Audio Dual stereo speakers, dual array microphones Ports and connectors 1 stereo headphone/microphone combo jack 1 RI-45 1 Micro SD card Slot 1 USB Type-C- Only Data		Intel® Core™ i5-1235U (1.3 GHz base frequency, up to 4.4 GHz with Intel®
Turbo Boost Technology, 12 MB L3 cache, 10 cores, 12 threads) Intel® Core™ i3-1315U (0.9 GHz E-core base frequency, 1.2 GHz P-core base frequency, up to 3.3 GHz E-core Max Turbo frequency, up to 4.5 GHz P-core Max Turbo frequency, 10 MB L3 cache, 2 P-cores and 4 E-cores, 8 threads) Intel® Core™ i5-1335U (0.9 GHz E-core base frequency, 1.3 GHz P-core base frequency, up to 3.4 GHz E-core Max Turbo frequency, up to 4.6 GHz P-core Max Turbo frequency, 12 MB L3 cache, 2 P-cores and 8 E-cores,12 threads) Intel® Core™ i7-1355U (1.2 GHz E-core base frequency,1.7 GHz P-core base frequency, up to 3.7 GHz E-core Max Turbo frequency, up to 5.0 GHz P-core Max Turbo frequency,12 MB L3 cache, 2 P-cores and 8 E-cores,12 threads) Maximum memory 64 GB DDR4-2666MHz / 3200 MHz Small Outline Dual In-Line Memory (SODIMM); (Transfer rates up to 2666/3200 MT/s.); Memory slots 2 SODIMM - Small Outline Dual In-Line Memory Module - SODIMM. Internal storage up to 4 TB PCle® NVMe™ M.2 SSD Display size (diagonal, metric) Display 35.6 cm (14") diagonal, FHD (1920 x 1080), IPS Screen Available Graphics Integrated: Intel® UHD Graphics; Intel® Iris® X® Graphics Audio Dual stereo speakers, dual array microphones Ports and connectors 1 stereo headphone/microphone combo jack 1 RI-45 1 Micro SD card Slot 1 USB Type-C- Only Data		Turbo Boost Technology, 12 MB L3 cache, 10 cores, 12 threads)
Turbo Boost Technology, 12 MB L3 cache, 10 cores, 12 threads) Intel® Core™ i3-1315U (0.9 GHz E-core base frequency, 1.2 GHz P-core base frequency, up to 3.3 GHz E-core Max Turbo frequency, up to 4.5 GHz P-core Max Turbo frequency, 10 MB L3 cache, 2 P-cores and 4 E-cores, 8 threads) Intel® Core™ i5-1335U (0.9 GHz E-core base frequency, 1.3 GHz P-core base frequency, up to 3.4 GHz E-core Max Turbo frequency, up to 4.6 GHz P-core Max Turbo frequency, 12 MB L3 cache, 2 P-cores and 8 E-cores,12 threads) Intel® Core™ i7-1355U (1.2 GHz E-core base frequency,1.7 GHz P-core base frequency, up to 3.7 GHz E-core Max Turbo frequency, up to 5.0 GHz P-core Max Turbo frequency,12 MB L3 cache, 2 P-cores and 8 E-cores,12 threads) Maximum memory 64 GB DDR4-2666MHz / 3200 MHz Small Outline Dual In-Line Memory (SODIMM); (Transfer rates up to 2666/3200 MT/s.); Memory slots 2 SODIMM - Small Outline Dual In-Line Memory Module - SODIMM. Internal storage up to 4 TB PCle® NVMe™ M.2 SSD Display size (diagonal, metric) Display 35.6 cm (14") diagonal, FHD (1920 x 1080), IPS Screen Available Graphics Integrated: Intel® UHD Graphics; Intel® Iris® X® Graphics Audio Dual stereo speakers, dual array microphones Ports and connectors 1 stereo headphone/microphone combo jack 1 RI-45 1 Micro SD card Slot 1 USB Type-C- Only Data		Intel® Core™ i7-1255U (1.7 GHz base frequency, up to 4.7 GHz with Intel®
frequency, up to 3.3 GHz E-core Max Turbo frequency, up to 4.5 GHz P-core Max Turbo frequency,10 MB L3 cache, 2 P-cores and 4 E-cores, 8 threads) Intel® Core™ i5-1335U (0.9 GHz E-core base frequency,1.3 GHz P-core base frequency, up to 3.4 GHz E-core Max Turbo frequency, up to 4.6 GHz P-core Max Turbo frequency,12 MB L3 cache, 2 P-cores and 8 E-cores,12 threads) Intel® Core™ i7-1355U (1.2 GHz E-core base frequency,1.7 GHz P-core base frequency, up to 3.7 GHz E-core Max Turbo frequency, up to 5.0 GHz P-core Max Turbo frequency,12 MB L3 cache, 2 P-cores and 8 E-cores,12 threads Maximum memory 64 GB DDR4-2666MHz / 3200 MHz Small Outline Dual In-Line Memory (SODIMM); (Transfer rates up to 2666/3200 MT/s.); Memory slots 2 SODIMM - Small Outline Dual In-Line Memory Module - SODIMM. Internal storage Display size (diagonal, metric) Display 35.6 cm (14") 35.6 cm (14") integrated: Intel® UHD Graphics; Intel® Iris® X® Graphics Audio Dual stereo speakers, dual array microphones Ports and connectors 1 stereo headphone/microphone combo jack 1 RJ-45 1 Micro SD card Slot 1 USB Type-C− Only Data		Turbo Boost Technology, 12 MB L3 cache, 10 cores, 12 threads)
Max Turbo frequency, 10 MB L3 cache, 2 P-cores and 4 E-cores, 8 threads) Intel® Core™ i5-1335U (0.9 GHz E-core base frequency, 1.3 GHz P-core base frequency, up to 3.4 GHz E-core Max Turbo frequency, up to 4.6 GHz P-core Max Turbo frequency, 12 MB L3 cache, 2 P-cores and 8 E-cores, 12 threads) Intel® Core™ i7-1355U (1.2 GHz E-core base frequency, 1.7 GHz P-core base frequency, up to 3.7 GHz E-core Max Turbo frequency, up to 5.0 GHz P-core Max Turbo frequency, up to 5.0 GHz P-core Max Turbo frequency, 12 MB L3 cache, 2 P-cores and 8 E-cores, 12 threads Maximum memory (64 GB DDR4-2666MHz / 3200 MHz Small Outline Dual In-Line Memory (SODIMM); (Transfer rates up to 2666/3200 MT/s.); Memory slots 2 SODIMM - Small Outline Dual In-Line Memory Module - SODIMM. Internal storage Display size (diagonal, metric) Display 35.6 cm (14") 35.6 cm (14") Display 35.6 cm (14") diagonal, FHD (1920 x 1080), IPS Screen Available Graphics Integrated: Intel® UHD Graphics; Intel® Iris® X® Graphics Audio Dual stereo speakers, dual array microphones Ports and connectors 1 stereo headphone/microphone combo jack 1 RJ-45 1 Micro SD card Slot 1 USB Type-C− Only Data		Intel® Core™ i3-1315U (0.9 GHz E-core base frequency,1.2 GHz P-core base
Intel® Core™ i5-1335U (0.9 GHz E-core base frequency, 1.3 GHz P-core base frequency, up to 3.4 GHz E-core Max Turbo frequency, up to 4.6 GHz P-core Max Turbo frequency, 12 MB L3 cache, 2 P-cores and 8 E-cores,12 threads) Intel® Core™ i7-1355U (1.2 GHz E-core base frequency, 1.7 GHz P-core base frequency, up to 3.7 GHz E-core Max Turbo frequency, up to 5.0 GHz P-core Max Turbo frequency, 12 MB L3 cache, 2 P-cores and 8 E-cores,12 threads Maximum memory 64 GB DDR4-2666MHz / 3200 MHz Small Outline Dual In-Line Memory (SODIMM); (Transfer rates up to 2666/3200 MT/s.); Memory slots 2 SODIMM - Small Outline Dual In-Line Memory Module - SODIMM. Internal storage Display size (diagonal, metric) Display 35.6 cm (14") 35.6 cm (14") diagonal, FHD (1920 x 1080), IPS Screen Available Graphics Integrated: Intel® UHD Graphics; Intel® Iris® X® Graphics Audio Dual stereo speakers, dual array microphones Ports and connectors 1 stereo headphone/microphone combo jack 1 RJ-45 1 Micro SD card Slot 1 USB Type-C- Only Data		frequency, up to 3.3 GHz E-core Max Turbo frequency, up to 4.5 GHz P-core
frequency, up to 3.4 GHz E-core Max Turbo frequency, up to 4.6 GHz P-core Max Turbo frequency,12 MB L3 cache, 2 P-cores and 8 E-cores,12 threads) Intel® Core™ i7-1355U (1.2 GHz E-core base frequency,1.7 GHz P-core base frequency, up to 3.7 GHz E-core Max Turbo frequency, up to 5.0 GHz P-core Max Turbo frequency,12 MB L3 cache, 2 P-cores and 8 E-cores,12 threads Maximum memory 64 GB DDR4-2666MHz / 3200 MHz Small Outline Dual In-Line Memory (SODIMM); (Transfer rates up to 2666/3200 MT/s.); Memory slots 2 SODIMM - Small Outline Dual In-Line Memory Module - SODIMM. Internal storage Up to 4 TB PCle® NVMe™ M.2 SSD Display size (diagonal, metric) Display 35.6 cm (14") diagonal, FHD (1920 x 1080), IPS Screen Available Graphics Audio Dual stereo speakers, dual array microphones Ports and connectors 1 stereo headphone/microphone combo jack 1 RJ-45 1 Micro SD card Slot 1 USB Type-C− Only Data		Max Turbo frequency,10 MB L3 cache, 2 P-cores and 4 E-cores, 8 threads)
Max Turbo frequency,12 MB L3 cache, 2 P-cores and 8 E-cores,12 threads) Intel® Core™ i7-1355U (1.2 GHz E-core base frequency,1.7 GHz P-core base frequency, up to 3.7 GHz E-core Max Turbo frequency, up to 5.0 GHz P-core Max Turbo frequency,12 MB L3 cache, 2 P-cores and 8 E-cores,12 threads Maximum memory 64 GB DDR4-2666MHz / 3200 MHz Small Outline Dual In-Line Memory (SODIMM); (Transfer rates up to 2666/3200 MT/s.); Memory slots 2 SODIMM - Small Outline Dual In-Line Memory Module - SODIMM. Internal storage Up to 4 TB PCle® NVMe™ M.2 SSD Display size (diagonal, metric) Display 35.6 cm (14") diagonal, FHD (1920 x 1080), IPS Screen Available Graphics Audio Dual stereo speakers, dual array microphones Ports and connectors 1 stereo headphone/microphone combo jack 1 RJ-45 1 Micro SD card Slot 1 USB Type-C− Only Data		Intel® Core™ i5-1335U (0.9 GHz E-core base frequency,1.3 GHz P-core base
Intel® Core™ i7-1355U (1.2 GHz E-core base frequency, 1.7 GHz P-core base frequency, up to 3.7 GHz E-core Max Turbo frequency, up to 5.0 GHz P-core Max Turbo frequency, 12 MB L3 cache, 2 P-cores and 8 E-cores,12 threads Maximum memory 64 GB DDR4-2666MHz / 3200 MHz Small Outline Dual In-Line Memory (SODIMM); (Transfer rates up to 2666/3200 MT/s.); Memory slots 2 SODIMM - Small Outline Dual In-Line Memory Module - SODIMM. Internal storage Display size (diagonal, metric) Display 35.6 cm (14") Display 35.6 cm (14") diagonal, FHD (1920 x 1080), IPS Screen Available Graphics Integrated: Intel® UHD Graphics; Intel® Iris® X® Graphics Audio Dual stereo speakers, dual array microphones Ports and connectors 1 stereo headphone/microphone combo jack 1 RJ-45 1 Micro SD card Slot 1 USB Type-C− Only Data		frequency, up to 3.4 GHz E-core Max Turbo frequency, up to 4.6 GHz P-core
frequency, up to 3.7 GHz E-core Max Turbo frequency, up to 5.0 GHz P-core Max Turbo frequency,12 MB L3 cache, 2 P-cores and 8 E-cores,12 threads Maximum memory 64 GB DDR4-2666MHz / 3200 MHz Small Outline Dual In-Line Memory (SODIMM); (Transfer rates up to 2666/3200 MT/s.); Memory slots 2 SODIMM - Small Outline Dual In-Line Memory Module - SODIMM. Internal storage Up to 4 TB PCle® NVMe™ M.2 SSD Display size (diagonal, metric) Display 35.6 cm (14") diagonal, FHD (1920 x 1080), IPS Screen Available Graphics Audio Dual stereo speakers, dual array microphones Ports and connectors 1 stereo headphone/microphone combo jack 1 RJ-45 1 Micro SD card Slot 1 USB Type-C− Only Data		Max Turbo frequency,12 MB L3 cache, 2 P-cores and 8 E-cores,12 threads)
frequency, up to 3.7 GHz E-core Max Turbo frequency, up to 5.0 GHz P-core Max Turbo frequency,12 MB L3 cache, 2 P-cores and 8 E-cores,12 threads Maximum memory 64 GB DDR4-2666MHz / 3200 MHz Small Outline Dual In-Line Memory (SODIMM); (Transfer rates up to 2666/3200 MT/s.); Memory slots 2 SODIMM - Small Outline Dual In-Line Memory Module - SODIMM. Internal storage Up to 4 TB PCle® NVMe™ M.2 SSD Display size (diagonal, metric) Display 35.6 cm (14") diagonal, FHD (1920 x 1080), IPS Screen Available Graphics Audio Dual stereo speakers, dual array microphones Ports and connectors 1 stereo headphone/microphone combo jack 1 RJ-45 1 Micro SD card Slot 1 USB Type-C− Only Data		Intel® Core™ i7-1355U (1.2 GHz E-core base frequency,1.7 GHz P-core base
Max Turbo frequency,12 MB L3 cache, 2 P-cores and 8 E-cores,12 threads Maximum memory 64 GB DDR4-2666MHz / 3200 MHz Small Outline Dual In-Line Memory (SODIMM); (Transfer rates up to 2666/3200 MT/s.); Memory slots 2 SODIMM - Small Outline Dual In-Line Memory Module - SODIMM. Internal storage up to 4 TB PCle® NVMe™ M.2 SSD Display size (diagonal, metric) Display 35.6 cm (14") 35.6 cm (14") diagonal, FHD (1920 x 1080), IPS Screen Available Graphics Audio Dual stereo speakers, dual array microphones Ports and connectors 1 stereo headphone/microphone combo jack 1 RJ-45 1 Micro SD card Slot 1 USB Type-C− Only Data		
Maximum memory64 GB DDR4-2666MHz / 3200 MHz Small Outline Dual In-Line Memory (SODIMM); (Transfer rates up to 2666/3200 MT/s.);Memory slots2 SODIMM - Small Outline Dual In-Line Memory Module - SODIMM.Internal storageup to 4 TB PCle® NVMe™ M.2 SSDDisplay size (diagonal, metric)35.6 cm (14")Display35.6 cm (14") diagonal, FHD (1920 x 1080), IPS ScreenAvailable GraphicsIntegrated: Intel® UHD Graphics; Intel® Iris® X® GraphicsAudioDual stereo speakers, dual array microphonesPorts and connectors1 stereo headphone/microphone combo jack 1 RJ-45 1 Micro SD card Slot 1 USB Type-C— Only Data		The state of the s
Memory slots2 SODIMM - Small Outline Dual In-Line Memory Module - SODIMM.Internal storageup to 4 TB PCle® NVMe™ M.2 SSDDisplay size (diagonal, metric)35.6 cm (14")Display35.6 cm (14") diagonal, FHD (1920 x 1080), IPS ScreenAvailable GraphicsIntegrated: Intel® UHD Graphics; Intel® Iris® X® GraphicsAudioDual stereo speakers, dual array microphonesPorts and connectors1 stereo headphone/microphone combo jack 1 RJ-45 1 Micro SD card Slot 1 USB Type-C− Only Data	Maximum memory	
Internal storage up to 4 TB PCIe® NVMe™ M.2 SSD Display size (diagonal, metric) 35.6 cm (14") Display 35.6 cm (14") diagonal, FHD (1920 x 1080), IPS Screen Available Graphics Integrated: Intel® UHD Graphics; Intel® Iris® X® Graphics Audio Dual stereo speakers, dual array microphones Ports and connectors 1 stereo headphone/microphone combo jack 1 RJ-45 1 Micro SD card Slot 1 USB Type-C− Only Data	Memory slots	
Display size (diagonal, metric) Display 35.6 cm (14") diagonal, FHD (1920 x 1080), IPS Screen Available Graphics Integrated: Intel® UHD Graphics; Intel® Iris® X® Graphics Dual stereo speakers, dual array microphones Ports and connectors 1 stereo headphone/microphone combo jack 1 RJ-45 1 Micro SD card Slot 1 USB Type-C- Only Data	19 av 10 0.	S. Distribution of the Control of th
Display 35.6 cm (14") diagonal, FHD (1920 x 1080), IPS Screen Available Graphics Integrated: Intel® UHD Graphics; Intel® Iris® X® Graphics Dual stereo speakers, dual array microphones Ports and connectors 1 stereo headphone/microphone combo jack 1 RJ-45 1 Micro SD card Slot 1 USB Type-C- Only Data	Display size (diagonal,	
Available Graphics Integrated: Intel® UHD Graphics; Intel® Iris® X® Graphics Audio Dual stereo speakers, dual array microphones Ports and connectors 1 stereo headphone/microphone combo jack 1 RJ-45 1 Micro SD card Slot 1 USB Type-C- Only Data		35.6 cm (14") diagonal, FHD (1920 x 1080), IPS Screen
Audio Dual stereo speakers, dual array microphones 1 stereo headphone/microphone combo jack 1 RJ-45 1 Micro SD card Slot 1 USB Type-C- Only Data	CONTRACTOR OF THE CONTRACTOR O	
Ports and connectors 1 stereo headphone/microphone combo jack 1 RJ-45 1 Micro SD card Slot 1 USB Type-C- Only Data		
1 RJ-45 1 Micro SD card Slot 1 USB Type-C- Only Data	Ports and connectors	
1 Micro SD card Slot 1 USB Type-C- Only Data		
1 USB Type-C- Only Data		The state of the s
The Annual Control of the Control of		
A CONTRACTOR OF THE CONTRACTOR		The second of th
1 HDMI 1.4b		
1 USB 3.2 Gen1 + 1 USB 3.0		7200 9 (1995) (1907) (1907) (1996)
1 3.5mm DC power connector		Angle An

Technical Specification



Input devices	CYNIX Premium Keyboard –backlit keyboard, spill resistant (Optional)
	Multi-touch gesture -enabled precision touchpad
Communications	10/100/1000 GbE NIC
	Intel® Wi-Fi 6E AX211 (2x2) and Bluetooth® 5.2 wireless card
Camera	Integrated widescreen 2.0MP 1080p FHD web camera with privacy shuttle
Fingerprint reader	Fingerprint sensor
Power	CYNIX Smart 65 W USB Type-C® adapter
Battery type	CYNIX Long Life 3-cell, 55 Wh Battery
Dimensions	323.5 * 219.5 * 18.9 mm; 12.73 * 8.64 * 0.72 in; 32.32 * 21.95 * 1.89 cm
Weight	Starting at 3.26lb; starting at 1.48 kg
	(Weight will vary by configuration. Does not include power adaptr.)
Certification and	ROHS, CE, FCC, UL, EPR, BEE
compliance	I DIVIDENT
Security	Hardware Trusted Platform Module (TPM)
***	Kensington Lock Slot
Warranty	1 Years Hardware Service with Onsite/In-Home Service after Remote
	Diagnosis, warranty extensions up to 5 years, Batteries have a default
	one-year limited warranty
	Accidental Damage Service is available to accompaniment certain warranty
	options from 3-5 years
	Keep your hard drive Options Available on certain SKU

© Copyright 2022. All rights reserved. In a continuing effort to improve the quality of our products, information in this document is subject to change without notice. Microsoft and Windows are registered trademarks of Microsoft Corporation. Intel®, Pentium, the Intel logo, Intel Core, vPro®, Optane™, and Core Inside are trademarks or registered trademarks of Intel Corporation or its subsidiaries in the United States and other countries. Bluetooth® is a trademark of its proprietor. USB Type-C® and USB-C® are registered trademarks of USB Implementers Forum. Adobe PDF is a trademark of Adobe Systems Incorporated. ENERGY STAR is a registered trademark of the U.S. Environmental Protection Agency. DisplayPort™ and the DisplayPort™ logo are trademarks owned by the Video Electronics Standards Association (VESA®) in the United States and other countries. NVIDIA, the NVIDIA logo, Quadro, and GeForce are trademarks and/or registered trademarks of NVIDIA Corporation in the US. and other countries. AMD and Radeon are trademarks of Advanced Micro Devices, inc. All other trademarks are the property of their respective owners. All the Pictures are for the illustration Purpose only. Actual product may be vary. Actual battery Watt-hours (Wh) will vary from design capacity. Battery capacity will naturally decrease with shelf life, time, usage, environment, temperature, system configuration, loaded apps, features, power management settings and other factors. T & C Apply

cynix.co.in 7

